

NURSE/MIDWIFE INITIATED MEDICINE PROTOCOL

Povidone-iodine 10% solution for wound antisepsis

SESLHDPR/467

POLICY STATEMENT

The Registered Nurse (RN), Registered Midwife (RM) or Enrolled Nurse (EN) is authorised to instigate nurse/midwife-initiated medication without an authorised prescriber's order under the specific circumstances set out in the **INDICATIONS** section and provided there are no contraindications present.

An Enrolled Nurse (EN) may administer 'nurse-initiated medication' to children greater than 16 years and adults. The EN must confirm verbally with their supervising Registered Nurse prior to the administration that the medication is appropriate and safe for the patient. An EN with a notation because they do not hold board approved qualifications in the administration of medicines is NOT authorised to administer any medication.

It is important for nursing and midwifery staff to remain aware that:

- Minor ailments may be symptoms of other more serious diseases or may be adverse reactions to medication already prescribed
- Nurse-initiated medication may interact with the patient's prescribed medication
- The maximum daily recommended dose of the medication must not be exceeded.¹

The administering nurse/midwife must record the administration on an approved paper or electronic medication chart or on the wound care plan, clearly indicating that the medicine was nurse initiated

If the patient continues to require the medication (i.e., more than two doses in 24 hours) then a medical officer (MO) must be consulted and a regular or PRN order obtained.

A change in the patient's condition such as newly occurring or increasing severity of symptoms must be reported to the MO and investigated.

INDICATIONS

Topical antiseptic application to prevent infection in minor cuts, wounds and abrasions

CONTRAINDICATIONS

Hypersensitivity to iodine Pregnancy or breastfeeding.

PRECAUTIONS

Avoid application over large skin areas.

Avoid use in a patient with hyperthyroidism

HISTORY/ASSESSMENT

Assess wound size and for signs of infection.

Version: 5 Review date: August 2027 T15/37315 Page 1 of 3



NURSE/MIDWIFE INITIATED MEDICINE PROTOCOL

Povidone iodine 10% solution for wound antisepsis

SESLHDPR/467

PROTOCOL/ADMINISTRATION GUIDELINES

Caution: CHECK for allergies and/or contraindications				
Drug	Dose	Route	Frequency	
Povidone iodine 10% solution	Apply to affected area	Topical	Once	
Apply undiluted to the affected area using a cotton tipped applicator.				

MONITORING - POTENTIAL ADVERSE EFFECTS/INTERACTIONS

Monitor for potential skin redness, irritation, pain, swelling or hypersensitivity. If these reactions occur, discontinue use.

Monitor wound for signs of healing or infection.

DOCUMENTATION

A record of the administration must be made on the approved paper or electronic medication chart or wound care plan, noting that the medication was nurse initiated.

A further record of the medication administered including indication, dose and effect must be included in the patient's health care record.

PRACTICE POINTS

- Treated areas may be bandaged or taped or otherwise occluded without loss of efficacy or increased risk of irritation.
- Colour delineates the area treated and activity; as the colour fades, more solution should be applied.

REFERENCES/FURTHER READING

- 1. NSW Health Policy Directive Medication Handling PD2022 032
- 2. MIMs Online. Betadine Preparations.

Version: 5 Review date: August 2027 T15/37315 Page 2 of 3



NURSE/MIDWIFE INITIATED MEDICINE PROTOCOL

Povidone iodine 10% solution for wound antisepsis

SESLHDPR/467

REVISION and APPROVAL HISTORY

Date	Version Number	Author and Approval
July 2015	DRAFT	Pharmacy Department, St George Hospital
September 2015	1	Approved by SESLHD Drug & QUM Committee
May 2018	DRAFT 2	Reviewed by nursing and pharmacy staff. Minor
		wording updates made. References updated.
July 2018	2	Approved by SESLHD Quality Use of Medicines
		Committee
August 2021	DRAFT 3	Reviewed by nursing and pharmacy staff. No
		changes required.
September 2021	3	Approved by SESLHD Quality Use of Medicines
		Committee
June 2023	DRAFT 4	NSW Medicines Formulary reviewed. Reviewed by
		nursing and pharmacy staff.
September 2023	4	Approved by SESLHD Drug and Therapeutics
		Committee
August 2025	5	Approved by SESLHD Drug and Therapeutics
		Committee

Version: 5 Review date: August 2027 T15/37315 Page 3 of 3