SAQ 3

A 45 yr old male has been brought to your Emergency Department by ambulance. He has been allegedly assaulted and has sustained a head injury and laceration with a period of LOC.

He has declined to have observations performed and wishes to leave the Emergency Department.

a. Essential elements of competency required to consent to, or refuse treatment? (4 Marks)

1 Mark each for:

Ability to maintain and communicate a choice Ability to understand the relevant information Ability to appreciate the situation and it's consequences Ability to manipulate the information in a rational fashion

Taken from:

Textbook of Adult Emergency Medicine, Cameron, 3rd Edition, Chp 25.3 Consent to Treatment Policy for the Western Australian Health System 2011, 3rd Edition

b. The ambulance crew tell you the patient was assessed by the police at the scene of the alleged assault. He undertook a breath alcohol test, the result of which was 0.18%. The patient is becoming increasingly agitated and wishes to leave. Outline your management of this situation. (4 Marks)

1/2 Mark each for:

Ensure staff safety

Statement on capacity - either establish of acknowledge BAL + HI precludes capacity Attempt verbal de-escalation - this must occur before physical or chemical restraint to gain mark

1/2 Mark to maximum of 2.5 marks i.e. any 5 points from below in a logical order : If considered significant risk to staff e.g. armed then allow to leave and engage police

assistance to return patient If failed verbal de-escalation for sedation and / or physical restraint (1/2 Mark for each) Mange in a Resuscitation / High-acuity area Team / co-ordinated approach - involving security +/- police Serial observations and repeat clinical assessment If plan for sedation must have CT head Wound assessment / closure ADT Thiamine / AWS if Hx ETOH XS Discharge planning once sober Documentation and notification of NOK

c. Which patient groups may be unable to consent? (2 Marks)

1/2 mark each to maximum of 2 marks from: Children Intellectually impaired Dementia / Alzheimer's Mentally ill Drug / alcohol affected Critically unwell patient's Facem trial written Set 3

Taken from Textbook of Adult Emergency Medicine, Cameron, 3rd Edition, Chp 25.3