Candidate name:				

FELLOWSHIP TRIAL EXAMINATION

2018.2

WRITTEN EXAMINATION

SHORT ANSWER QUESTIONS

EXAMINATION TIME: 3 HOURS

DIRECTIONS TO CANDIDATES

- 1. The booklet is divided in to three parts
 - Each part is composed of 9 questions
- 2. Each mark is of equal weight
- 3. Write your name on the front page of each question paper
- 4. Write your initials on each subsequent page of the question paper
- 5. Answer each question in the space provided
- 6. Cross out any errors completely
- 7. Do not begin the exam until instructed to do so
- 8. No examination papers or materials to leave the room

Candidate initials:						

PAH 2018.2 trial SAQ paper

PART 1

Questions 1 – 9

1 hour

Q1 (12 min)
A 3 year old boy has been brought to the ED by ambulance. He has been unwell with fever and vomiting for 2 days. He has developed lethargy and a rash this morning.
The child is unvaccinated.
A clinical photograph has been provided in the PROPS BOOKLET.
1. List 3 descriptive features from the photo. (3 marks)
1)
2)
3)
Your initial assessment suggests bacterial infection as the most likely cause of the presentation.
2. List 4 of the most likely bacterial pathogens that could cause this presentation. (4 marks)
1)
2)
3)
4)
3. Other than bacterial infection, list 3 differential diagnoses for this presentation. (3 marks)
1)
2)
3)

AVPU	responds to voice						
Pulse	180	/min					
ВР	80/35	mmHg					
Temperature	34.5	degrees					
O2 sats	98%	room air					
Your clinical assessment is 4. Other than coaguliustification. (3 notes)	ation studies, list	septic shock. your 3 most important initial investigations, including					
Investigation	Justific	ation					

The patient's initial vital signs are:

Candidate initials:	

5. State the details of your 2 most important initial treatment steps. (2 marks)

1)
2)
The patient stabilises after your initial management.
One of your laboratory tests is provided in the PROPS BOOKLET.
6. Interpret the results. (1 mark)
7. List 4 other potential complications of this patient's presentation. (4 marks)
1)
2)
3)
4)

Candidate initials:	

Q2

A 45 year old man has presented with a painful, red, swollen left testicle. The pain began as a mild ache 7 days ago and has been gradually increasing to the point where it is now severe. He has had fevers and chills for the last 2 days.

On examination, he has a red, swollen left side of the scrotum with an enlarged and diffusely tender left testicle.

1. List 4 investigations you would perform. Justify your use of these tests. (4 marks)

Justification
43

2. State the most likely diagnosis. (1 mark)
Your clinical assessment confirms this diagnosis.
3. List 4 indications for inpatient admission you would seek to exclude in this man. (4 marks)
1)
2)
3)
4)
You clinical assessment is that this patient can be managed safely as an outpatient.
4. State 2 steps in your outpatient management of this man. Include drug doses where appropriate. (2 marks)
1)
2)

esented with palpit	tations.							
e PROPS BOOKLET	ī.							
1. List the 2 most important features of this ECG. (2 marks)								
the following vital	signs:							
15								
115/65	mmHg							
98%	room air							
36.5	degrees							
	portant features of the following vital 15 115/65 98%							

Candidate initials:						

2. List 5 drugs you might use in the management of this patient's problem. Include initial doses. For each drug, state the clinical circumstances appropriate for its use. (10 marks)

Drug / dose	Clinical circumstances

Q4
A 32 year old woman has presented with headache and visual changes. She is 38 weeks pregnant.
You are concerned about the possibility of pre-eclampsia.
1. List 4 examination features that would be supportive of pre-eclampsia. (4 marks)
1)
2)
3)
4)
2. List 4 laboratory abnormalities that would be supportive of pre-eclampsia. (4 marks)
1)
2)
3)
4)

Your clinical assessment is consistent with pre-eclampsia.			
The patient's vital signs	s are:		
Pulse	100	/min	
ВР	160/110	mmHg	
O2 sats	99%	room air	
While in the ED, the pa	itient begins to h	ave a seizure.	
3. List 5 componer		gement of this situation. (5 marks)	
4)			
5)			

Your tertiary ED has received feedback that the time to thrombolysis for stroke in your centre is unacceptably long. You have been tasked to remedy this situation.	
1. List 5 possible contributory factors in the delay to thrombolysis in stroke. (5 marks)	
1)	
2)	
3)	
4)	
5)	

Q5

Candidate initials:	
oanaac minaa	

2. State 5 solutions to the issues identified in part 1 . (5 marks)	

1)			
2)		 	
3)			
5)			

Candidate initials:	

06		
		_
		h

A 44 year old woman has presented with large volume haemoptysis.

1. List 6 investigations you might perform. Provide justification for each. (6 marks)

Investigation	Justification	
		_
		_

The patient required intubation as part of her management.			
The patient's vital signs ar	e:		
Pulse	115	/min	
ВР	110/70	mmHg	
O2 sats	95%	FiO2 0.7	

2. List 3 options for definitive management of this patient's haemoptysis. For each, give the clinical circumstances in which it would be appropriate. (6 marks)

Management option	Clinical circumstance

A 65 year old woman has presented to the ED with severe generalised abdominal pain.				
Examination reveals a gen	erally tender and	guarded abdomen.		
Her vital signs are:				
GCS	15			
Pulse	120	/min		
ВР	95/55	mmHg		
O2 sats	96%	room air		
A slice from her abdomina	al CT scan is provid	ded in the PROPS BOOKLET.		
1. List 5 abnormalities in the CT scan. (5 marks)				
1)				
2)				
3)				
4)				
5)				
2. What is the likely diagnosis? (1 mark)				

Q7

Candidate initials:	

3. State 4 components of your management of this patient. (4 marks)	3.	3. State 4	components	of your	management	of this patient.	(4 marks)
---	----	------------	------------	---------	------------	------------------	-----------

1)	 	 	
2)			
3)			
4)			

Q8
A 75 year old woman has been brought to the hospital after having a syncopal episode while at home. At the time of your initial examination, she has recovered fully, with no symptoms.
1. List 3 causes of neurally mediated syncope. (3 marks)
1)
2)
3)
·
2. List 3 causes of orthostatic hypotension. (3 marks)
1)
2)
3)

Candidate initials:						

3. List 5 ECG findings that would suggest arrhythmogenic syncope in a current	tly
asymptomatic patient. (5 marks)	

1)			
2)			
3)	 	 	
4)	 	 	
- \			

Q9					
A 79 year old man has be centre.	en brought to the	ED after falling in the car park of his local shopping			
He has pain in his pelvis.					
An x-ray of his pelvis is pr	ovided in the PRC	DPS BOOKLET.			
1. List 3 abnormaliti	1. List 3 abnormalities in the x-ray. (3 marks)				
1)					
2)					
Three hours after arriving	g to the ED, the pa	itient has become confused.			
His vital signs are:					
GCS	13	E4 V4 M5			
Pulse	125	/min			
ВР	95/40	mmHg			

Candidate initials:	

2. List 5 potential causes of this patient's deterioration. For each, state how you will assess for its presence (history, examination or investigation). (10 marks)

Potential cause	Assessment feature
	7