





Sexually Transmissible Infections in South Eastern Sydney Local Health District, Mid Year 2024

Summary

Chlamydia




Gonorrhoea




%/NSW represents the proportion of NSW cases resident in SESLHD

Syphilis



Other Infections



Contents

Chlamydia	6
Table 1: Chlamydia notifications in South Eastern Sydney residents by semester and year 2022 -2024	8
Gonorrhoea	9
Table 2: Gonorrhoea notifications in SESLHD by semester and year 2022– 2024	11
Infectious syphilis	12
Table 3: Infectious syphilis notifications by semester and year 2022-2024	14
Table 4: Additional data from syphilis enhanced surveillance*, first semester 2024	15
Table 5: Diagnosing practice for infectious syphilis, first semester 2024	16
Syphilis in women	17
Table 6: Infectious and non-infectious syphilis notification in women including congenital syphilis by semester and year 2022-2024	17
Mpox	18
Table 7: Mpox notifications in SESLHD up to 30 June 2024	18
Lymphogranuloma Venereum (LGV)	19
Table 8: LGV notifications in SESLHD by semester and year 2022-2024	19
Shigella	20
Table 9: Locally acquired shigellosis notifications in SESLHD residents by semester and year 2022-2024	20

Acknowledgements

The Public Health Unit would like to acknowledge sexual health clinicians for providing the enhanced data used for this report, and Anna Crawford for her evaluation of our prior report and recommendations to improve the report content and format.

Report Details	
Data source:	NSW Health Notifiable Conditions Information Management System (NCIMS) accessed through SAPHaRI.
Date extracted:	26 July 2024; syphilis data extracted 29 July 2024
Prepared by:	Sandra Chaverot, Epidemiologist
Approved by:	Vicky Sheppeard, Director
Distributed to:	Sexual health services located in SESLHD
Next report to be issued:	February 2025

Notes:

Appropriate acknowledgement of the Public Health Unit should accompany any approved use.

All dates reported are based on the calculated date of onset.


Data may be incomplete, especially for infectious syphilis cases where a longer time frame occurs from notification date to the date of classification of infectious cases.

The data within this report may be subject to revision and should not be published or distributed further without approval of the Director, Public Health Unit.

Yearly projected LHD population data were used to calculate crude rates

Chlamydia

Figure 1: Chlamydia notifications and crude rates per 100,000 in South Eastern Sydney residents by year and gender 2010 – 2024*



* number of cases for 1st half 2024, annualised rates

Figure 2: Chlamydia notifications in South Eastern Sydney residents by age group and quarter, 2014 – 2024*





Figure 3: Chlamydia notifications in South Eastern Sydney residents by site and sex 2014 – 2024*



* number of cases for 1st half 2024

Figure 4: Chlamydia notifications in South Eastern Sydney residents by LGA and quarter, 2014 – 2024*





Table 1: Chlamydia notifications in South Eastern Sydney residents by semester and year 2022 -2024

	2022-1	2022-2	2022 Total	2023-1	2023-2	2023 Total	2024-1
GENDER							
Female	700 (27.5%)	870 (33.8%)	1570 (30.7%)	1191 (34.2%)	1092 (33.4%)	2283 (33.8%)	1187 (34.7%)
Male	1842 (72.3%)	1702 (66.2%)	3544 (69.2%)	2286 (65.7%)	2167 (66.3%)	4453 (66.0%)	2228 (65.1%)
Not stated	2 (0.1%)	0 (0.0%)	2 (0.0%)	5 (0.1%)	4 (0.1%)	10 (0.1%)	8 (0.2%)
Transgender	3 (0.1%)	1 (0.0%)	4 (0.1%)	0 (0.0%)	3 (0.1%)	4 (0.0%)	1 (0.0%)
LGA							
Bayside	364 (14.3%)	383 (14.9%)	747 (14.6%)	526 (15.1%)	502 (15.4%)	1028 (15.2%)	513 (15.0%)
Georges River	174 (6.8%)	191 (7.4%)	365 (7.1%)	240 (6.9%)	234 (7.2%)	474 (7.0%)	237 (6.9%)
Randwick	307 (12.1%)	349 (13.6%)	656 (12.8%)	496 (14.2%)	461 (14.1%)	957 (14.2%)	500 (14.6%)
Sutherland Shire	236 (9.3%)	276 (10.7%)	512 (10.0%)	340 (9.8%)	353 (10.8%)	693 (10.3%)	313 (9.1%)
Sydney	1080 (42.4%)	969 (37.7%)	2049 (40.0%)	1328 (38.1%)	1218 (37.3%)	2546 (37.7%)	1275 (37.2%)
Unincorporated	. (%)	1 (0.0%)	1 (0.0%)	. (%)	. (%)	. (%)	1 (0.0%)
Waverley	236 (9.3%)	249 (9.7%)	485 (9.5%)	348 (10.0%)	317 (9.7%)	665 (9.9%)	369 (10.8%)
Woollahra	149 (5.9%)	155 (6.0%)	304 (5.9%)	204 (5.9%)	181 (5.5%)	385 (5.7%)	215 (6.3%)
AGE GROUP							
0-15 years	2 (0.1%)	2 (0.1%)	4 (0.1%)	4 (0.1%)	3 (0.1%)	7 (0.1%)	8 (0.2%)
16-19 years	142 (5.6%)	144 (5.6%)	286 (5.6%)	203 (5.8%)	166 (5.1%)	369 (5.5%)	150 (4.4%)
20-29 years	1057 (41.5%)	1196 (46.5%)	2253 (44.0%)	1612 (46.3%)	1497 (45.8%)	3109 (46.1%)	1583 (46.2%)
30-39 years	834 (32.7%)	745 (29.0%)	1579 (30.8%)	988 (28.4%)	972 (29.8%)	1960 (29.0%)	1077 (31.5%)
40-49 years	316 (12.4%)	308 (12.0%)	624 (12.2%)	387 (11.1%)	383 (11.7%)	770 (11.4%)	346 (10.1%)
50-59 years	145 (5.7%)	126 (4.9%)	271 (5.3%)	213 (6.1%)	176 (5.4%)	389 (5.8%)	182 (5.3%)
60-69 years	43 (1.7%)	47 (1.8%)	90 (1.8%)	61 (1.8%)	59 (1.8%)	120 (1.8%)	63 (1.8%)
70 + years	8 (0.3%)	5 (0.2%)	13 (0.3%)	14 (0.4%)	11 (0.3%)	25 (0.4%)	15 (0.4%)
Total	2547 (100.0%)	2573 (100.0%)	5120 (100.0%)	3482 (100.0%)	3267 (100.0%)	6749 (100.0%)	3423 (100.0%)

Gonorrhoea

Figure 5: Gonorrhoea notifications and crude rates per 100,000 in South Eastern Sydney residents by year and gender 2010 – 2024*



* number of cases for 1st half 2024, annualised rates

† NSW STI strategy 2022-2026: 5% reduction in notification rates of gonorrhoea by 2026

Figure 6: Gonorrhoea notifications in South Eastern Sydney residents by age group and quarter, 2014 –2024*




Figure 7: Gonorrhoea notifications in South Eastern Sydney residents by LGA and quarter, 2014 – 2024*





Figure 8: Gonorrhoea notifications in South Eastern Sydney residents by site and sex 2014 – 2024*




* number of cases for 1st half 2024

Table 2: Gonorrhoea notifications in SESLHD by semester and year 2022– 2024

	2022-1	2022-2	2022 Total	2023-1	2023-2	2023 Total	2024-1
GENDER							
Female	176 (11.1%)	221 (15.5%)	397 (13.2%)	246 (14.2%)	211 (11.2%)	457 (12.6%)	297 (13.3%)
Male	1415 (88.8%)	1199 (84.1%)	2614 (86.6%)	1479 (85.3%)	1665 (88.3%)	3144 (86.9%)	1935 (86.4%)
Not stated	1 (0.1%)	1 (0.1%)	2 (0.1%)	9 (0.5%)	7 (0.4%)	16 (0.4%)	7 (0.3%)
Transgender	1 (0.1%)	4 (0.3%)	5 (0.2%)	0 (0.0%)	2 (0.1%)	2 (0.1%)	. (.%)
LGA							
Bayside	204 (12.8%)	207 (14.5%)	411 (13.6%)	243 (14.0%)	279 (14.8%)	522 (14.4%)	320 (14.3%)
Georges River	80 (5.0%)	104 (7.3%)	184 (6.1%)	100 (5.8%)	123 (6.5%)	223 (6.2%)	130 (5.8%)
Randwick	164 (10.3%)	149 (10.5%)	313 (10.4%)	166 (9.6%)	207 (11.0%)	373 (10.3%)	240 (10.7%)
Sutherland Shire	109 (6.8%)	100 (7.0%)	209 (6.9%)	96 (5.5%)	105 (5.6%)	201 (5.6%)	133 (5.9%)
Sydney	851 (53.4%)	672 (47.2%)	1523 (50.5%)	883 (50.9%)	934 (49.6%)	1817 (50.2%)	1123 (50.2%)
Waverley	96 (6.0%)	109 (7.7%)	205 (6.8%)	126 (7.3%)	126 (6.7%)	252 (7.0%)	152 (6.8%)
Woollahra	87 (5.5%)	82 (5.8%)	169 (5.6%)	120 (6.9%)	110 (5.8%)	230 (6.4%)	140 (6.3%)
AGE GROUP							
0-15 years	0(0.0%)	1 (0.1%)	1 (0.0%)	6 (0.4%)	1 (0.1%)	7 (0.2%)	2 (0.1%)
16-19 years	26 (1.6%)	27 (1.9%)	53 (1.8%)	27 (1.6%)	33 (1.8%)	60 (1.7%)	39 (1.7%)
20-29 years	503 (31.6%)	476 (33.4%)	979 (32.4%)	628 (36.2%)	618 (32.8%)	1246 (34.4%)	747 (33.4%)
30-39 years	624 (39.2%)	508 (35.7%)	1132 (37.5%)	634 (36.6%)	759 (40.3%)	1393 (38.5%)	866 (38.7%)
40-49 years	256 (16.1%)	246 (17.3%)	502 (16.6%)	266 (15.3%)	297 (15.8%)	563 (15.6%)	361 (16.1%)
50-59 years	141 (8.9%)	126 (8.8%)	267 (8.9%)	129 (7.4%)	126 (6.7%)	255 (7.1%)	159 (7.1%)
60-69 years	36 (2.3%)	31 (2.2%)	67 (2.2%)	38 (2.2%)	44 (2.3%)	82 (2.3%)	58 (2.6%)
70 + years	7 (0.4%)	10 (0.7%)	17 (0.6%)	6 (0.4%)	7 (0.4%)	13 (0.4%)	7 (0.3%)
Total	1593 (100.0%)	1425 (100.0%)	3018 (100.0%)	1734 (100.0%)	1885 (100.0%)	3619 (100.0%)	2239 (100.0%)

Infectious syphilis

Figure 9: Infectious syphilis notifications and crude rates per 100,000 in South Eastern Sydney residents by year and gender 2010-2024*



* number of cases for 1st half 2024, annualised rates

† NSW STI strategy 2022-2026: 5% reduction in notification rates of infectious syphilis by 2026

Figure 10: Infectious syphilis notifications in South Eastern Sydney residents by age group and quarter, 2014 - 2024*




Figure 11: Infectious syphilis notifications in South Eastern Sydney residents by LGA and quarter, 2014 – 2024*




Table 3: Infectious syphilis notifications by semester and year 2022-2024

	2022-1	2022-2	2022	2023-1	2023-2	2023	2024-1
GENDER							
Female	9 (2.5%)	16 (4.7%)	25 (3.6%)	19 (5.4%)	19 (6.8%)	38 (6.0%)	10 (3.6%)
Male	342 (96.6%)	322 (95.0%)	664 (95.8%)	334 (94.1%)	255 (91.7%)	589 (93.1%)	265 (96.4%)
Not stated	1 (0.3%)	.	1 (0.1%)				
Transgender	2 (0.6%)	1 (0.3%)	3 (0.4%)	2 (0.6%)	4 (1.4%)	6 (1.0%)	.
INDIGENOUS STATUS							
Aboriginal	7 (2.0%)	4 (1.2%)	11 (1.6%)	4 (1.1%)	3 (1.1%)	7 (1.1%)	8 (2.9%)
Torres Strait Islander							
Both	2 (0.6%)		2 (0.3%)				
Neither	312 (88.1%)	305 (90.0%)	617 (89.0%)	312 (87.9%)	236 (84.9%)	548 (86.6%)	229 (83.3%)
Unknown	33 (9.3%)	30 (8.9%)	63 (9.1%)	39 (11.0%)	39 (14.0%)	78 (12.3%)	38 (13.8%)
LGA							
Bayside	47 (13.3%)	47 (13.9%)	94 (13.6%)	62 (17.5%)	42 (15.1%)	104 (16.4%)	39 (14.2%)
Georges River	16 (4.5%)	25 (7.4%)	41 (5.9%)	21 (5.9%)	17 (6.1%)	38 (6.0%)	18 (6.6%)
Randwick	35 (9.9%)	30 (8.9%)	65 (9.4%)	33 (9.3%)	26 (9.4%)	59 (9.3%)	24 (8.7%)
Sutherland Shire	21 (5.9%)	14 (4.1%)	35 (5.1%)	13 (3.7%)	11 (4.0%)	24 (3.8%)	13 (4.7%)
Sydney	218 (61.6%)	193 (56.9%)	411 (59.3%)	192 (54.1%)	155 (55.8%)	347 (54.8%)	152 (55.3%)
Waverley	5 (1.4%)	13 (3.8%)	18 (2.6%)	15 (4.2%)	11 (4.0%)	26 (4.1%)	15 (5.5%)
Woollahra	12 (3.4%)	17 (5.0%)	29 (4.2%)	19 (5.4%)	15 (5.4%)	34 (5.4%)	14 (5.1%)
AGE GROUP							
16-19 years	1 (0.3%)	1 (0.3%)	2 (0.3%)	2 (0.6%)	2 (0.7%)	4 (0.6%)	3 (1.1%)
20-29 years	59 (16.7%)	65 (19.2%)	124 (17.9%)	87 (24.5%)	51 (18.4%)	138 (21.8%)	65 (23.6%)
30-39 years	151 (42.7%)	151 (44.5%)	302 (43.6%)	120 (33.8%)	127 (45.7%)	247 (39.0%)	99 (36.0%)
40-49 years	81 (22.9%)	70 (20.7%)	151 (21.8%)	76 (21.4%)	51 (18.4%)	127 (20.1%)	60 (21.8%)
50-59 years	48 (13.6%)	43 (12.7%)	91 (13.1%)	47 (13.2%)	26 (9.4%)	73 (11.5%)	36 (13.1%)
60-69 years	12 (3.4%)	7 (2.1%)	19 (2.7%)	16 (4.5%)	16 (5.8%)	32 (5.1%)	9 (3.3%)
70 + years	2 (0.6%)	2 (0.6%)	4 (0.6%)	7 (2.0%)	5 (1.8%)	12 (1.9%)	3 (1.1%)
Total	354 (100.0%)	339 (100.0%)	693 (100.0%)	355 (100.0%)	278 (100.0%)	633 (100.0%)	275 (100.0%)

Table 4: Additional data from syphilis enhanced surveillance*, first semester 2024

	Female	Male	Total
Stage			
Primary	6 (2.2%)	50 (17.9%)	56 (20.1%)
Secondary	2 (0.7%)	57 (20.4%)	59 (21.1%)
Early Latent	2 (0.7%)	104 (37.3%)	106 (38.0%)
Unknown	3 (1.1%)	55 (19.7%)	58 (20.1%)
Symptoms			
Yes	6 (2.2%)	107 (38.4%)	113 (40.5%)
No	5 (1.8%)	105 (37.6%)	110 (39.4%)
Unknown/Not specified	2 (0.7%)	54 (19.4%)	56 (20.1%)
Chancere			
Yes	2 (0.7%)	35 (12.5%)	37 (13.3%)
Skin rash			
Yes	2 (0.7%)	40 (14.3%)	42 (15.1%)
Place of disease acquisition			
Acquired in Australia outside NSW		1 (0.4%)	1 (0.4%)
Acquired in NSW	11 (3.9%)	108 (38.7%)	119 (42.7%)
Acquired outside Australia		7 (2.5%)	7 (2.5%)
Unknown/Not specified	2 (0.7%)	150 (53.8%)	152 (54.5%)
PrEP			
Yes		53 (19.0%)	53 (19.0%)
No	8 (2.9%)	139 (49.8%)	147 (52.7%)
Unknown/Not specified	5 (1.8%)	74 (26.5%)	79 (28.3%)
Sex of Partner			
Person(s) of the opposite sex only	7 (2.5%)	21 (7.5%)	28 (10.0%)
Person(s) of the same sex only	1 (0.4%)	168 (60.2%)	169 (60.6%)
Persons of both sexes	.	10 (3.6%)	10 (3.6%)
Sexual exposure unknown/Not specified	5 (1.8%)	67 (24.0%)	72 (25.6%)
Is person a current sex worker ?			
Yes	1 (0.4%)	4 (1.4%)	5 (17.9%)
No	5 (1.8%)	153 (54.8%)	158 (56.6%)
Unknown	7 (2.58%)	109 (39.0%)	116 (41.6%)
Total	13 (4.7%)	266 (95.3%)	279 (100%)

*Extracted from NCIMS for Randwick jurisdiction

Table 5: Diagnosing practice for infectious syphilis, first semester 2024.

Practice name	N	%
Sydney Sexual health Clinic	62	22%
GP other*	42	15%
East Sydney Doctors	20	7%
Taylor Square Private Clinic	19	7%
Albion Street Centre	16	6%
Holdsworth House Medical Practice	13	5%
Darlinghurst Medical Centre	12	4%
Oxford Village Medical centre	12	4%
Unknown	12	4%
Short St Clinic at St George Hospital	10	3%
Kirketon Road Centre	8	3%
Crown St Medical Centre	7	2%
Hyde Park Medical Centre	7	2%
IBAC at St Vincents Hospital	6	2%
St Vincent's Hospital	6	2%
Myhealth Potts Point	5	2%
Sydney CBD Medical Centre	5	2%
RPA Sexual health clinic	4	1%
Aboriginal Medical Service	3	1%
Key Health CBD South	3	1%
RPA - other	3	1%
Stigma Health Pty Ltd	<3	.
Other	<3	.
Clinic 16 at RNSH	<3	.
Green Square Health Centre	<3	.
Sutherland Hospital Gastroenterology	<3	.
Sydney and Sydney Eye Hospital	<3	.
Waratah Clinic at St George Hospital	<3	.
Western Sydney Sexual Health Centre	<3	.
ARCBS	<3	.
St George Hospital ED	<3	.
Total	288	

Any general practice with <3 infectious syphilis notifications were grouped as GP other

Syphilis in women

Table 6: Infectious and non-infectious syphilis notifications in women including congenital syphilis per semester and year 2022-2024

	2022-1	2022-2	2022	2023-1	2023-2	2023	2024-1
Condition							
Syphilis - >2 years or unk duration	16 (64.0%)	13 (43.3%)	29 (53.7%)	10 (34.5%)	11 (36.7%)	21 (35.6%)	14 (58.3%)
Syphilis - Infectious	9 (36.0%)	16 (53.3%)	25 (46.3%)	19 (65.5%)	19 (63.3%)	38 (64.4%)	10 (41.7%)
Congenital syphilis	.	1 (3.3%)
Indigenous status							
Aboriginal	1 (4.0%)	3 (10.0%)	4 (7.4%)	1 (3.4%)	3 (10.0%)	4 (6.8%)	4 (16.7%)
Not Aboriginal or Torres Strait Islander	23 (92.0%)	25 (83.3%)	48 (88.9%)	27 (93.1%)	26 (86.7%)	53 (89.8%)	19 (79.2%)
Not Stated / Unknown	1 (4.0%)	1 (3.3%)	2 (3.7%)	1 (3.4%)	1 (3.3%)	2 (3.4%)	.
Age group							
16-19 yrs	2 (6.7%)	2 (3.4%)	.
20-29 yrs	4 (16.0%)	5 (17.2%)	9 (16.7%)	11 (38.0%)	9 (30.0%)	20 (33.9%)	12 (50.0%)
30-39 yrs	11 (44.0%)	12 (41.4%)	23 (42.6%)	10 (34.5%)	10 (33.3%)	20 (33.9%)	7 (29.2%)
40-49 yrs	2 (8.0%)	4 (13.8%)	6 (11.1%)	2 (6.9%)	3 (10.0%)	5 (8.5%)	.
50-59 yrs	2 (8.0%)	3 (10.3%)	5 (9.3%)	3 (10.3%)	4 (13.3%)	7 (11.9%)	3 (12.5%)
60-69 yrs	5 (20.0%)	3 (10.3%)	8 (14.8%)	.	.	.	2 (8.3%)
70+	1 (4.0%)	2 (6.9%)	3 (5.6%)	3 (10.3%)	2 (6.7%)	5 (8.5%)	.
Pregnant							
Syphilis - Infectious	1 (3.3%)	1 (1.7%)	.
Syphilis - >2 years or unk duration	.	1 (3.3%)	.	1 (3.4%)	.(0.0%)	(0.0%)	5 (20.8%)
Total	25(100%)	30 (100%)	54 (100%)	29 (100%)	30 (100%)	59 (100%)	24 (100%)

Mpox

Figure 12: Mpox notifications in South Eastern Sydney residents 2022 to 30 June 2024





Table 7: Mpox notifications in SESLHD up to 30 June 2024

	Year			Total
	2022	2023	2024*	
GENDER				
Male	25 (100.0%)	6 (100.0%)	13 (100.0%)	44 (100.0%)
LGA				
Bayside		1 (16.7%)	1 (7.7%)	2 (4.5%)
Georges River	1 (4.0%)			1 (2.3%)
Randwick	3 (12.0%)			3 (6.8%)
Sydney	21 (84.0%)	5 (83.3%)	11 (84.6%)	37 (84.1%)
Woollahra			1 (7.7%)	1 (2.3%)
AGE GROUP				
20-29 years	4 (16.0%)	1 (16.37%)	4 (30.8%)	9 (20.4%)
30-39 years	15 (60%)	3 (50.0%)	6 (46.1%)	24 (54.5%)
40-49 years	5 (20.0%)	2 (33.3%)	3 (23.1%)	10 (22.7%)
50-59 years	1 (4.0%)			1 (2.3%)
Total	25 (100.0%)	6 (100.0%)	13 (100.0%)	44 (100.0%)

Lymphogranuloma venereum (LGV)

Figure 13: LGV notifications in South Eastern Sydney residents 2008 – 2024




* number of cases for 1st half 2024

Table 8: LGV notifications in SESLHD by semester and year 2022-2024

	2022-1	2022-2	2022	2023-1	2023-2	2023	2024-1
GENDER							
Male	5 (100%)	9 (100%)	14 (100%)	13 (100%)	4 (100%)	17 (100%)	7 (100%)
LGA							
Bayside		1 (11.1%)	1 (7.1%)	3 (23.1%)		3 (17.7%)	
Georges River	1 (20.0%)		1 (7.1%)			.	
Randwick	1 (20.0%)	1 (11.1%)	2 (14.3%)	2 (15.4%)		2 (11.8%)	1 (14.3%)
Sutherland Shire			.	2 (15.4%)		2 (11.8%)	
Sydney	2 (40.0%)	7 (77.8%)	9 (64.3%)	5 (38.5%)	4 (100%)	9 (52.9%)	5 (71.4%)
Waverley			.			.	
Woollahra	1 (20.0%)		1 (7.1%)	1 (7.7%)		1 (5.9%)	1 (14.3%)
AGE GROUP							
20-29 years	2 (40.0%)	3 (33.3%)	5 (35.7%)	2 (15.4%)	2 (50.0%)	4 (23.5%)	1 (14.3%)
30-39 years	1 (20.0%)	5 (55.6%)	6 (42.9%)	6 (46.2%)	1 (25.0%)	7 (41.2%)	4 (57.1%)
40-49 years	1 (20.0%)	1 (11.1%)	2 (14.3%)	5 (38.5%)	1 (25.0%)	6 (35.3%)	2 (28.6%)
50-59 years			1 (7.1%)			.	
60-69 years			.			.	
70+ years			.			.	
Total (ALL)	5 (100.0%)	9 (100%)	14 (100%)	13 (100%)	4 (100%)	17 (100%)	7 (100%)

Shigellosis

Figure 14: Locally acquired (in NSW) shigellosis notifications in SESLHD residents by sex 2008 – 2024*



* number of cases for 1st half 2024

Table 9: Locally acquired shigellosis notifications in SESLHD residents by semester and year 2022-2024

	2022-1	2022-2	2022	2023-1	2023-2	2023	2024-1
GENDER							
Female	2 (33.3%)	4 (50.0%)	6 (42.9%)	1 (2.4%)	4 (7.1%)	5 (5.2%)	2 (5.7%)
Male	4 (66.7%)	4 (50.0%)	8 (57.1%)	40 (97.6%)	52 (92.9%)	92 (94.9%)	33 (94.3%)
LGA							
Bayside				4 (9.8%)	11 (19.6%)	15 (15.5%)	5 (14.3%)
Georges River	1 (16.7%)	1 (12.5%)	2 (14.3%)		3 (5.4%)	3 (3.1%)	2 (5.7%)
Randwick		1 (12.5%)	1 (7.1%)	4 (9.8%)	2 (3.6%)	6 (6.2%)	2 (5.7%)
Sutherland Shire		2 (25.0%)	2 (14.3%)		2 (3.6%)	2 (2.1%)	3 (8.6%)
Sydney	3 (50.0%)	3 (37.5%)	6 (42.9%)	27 (65.9%)	31 (55.4%)	58 (59.8%)	21 (60.0%)
Waverley	2 (33.3%)		2 (14.3%)	3 (7.3%)	4 (7.1%)	7 (7.2%)	2 (5.7%)
Woollahra		1 (12.5%)	1 (7.1%)	3 (7.3%)	3 (5.4%)	6 (6.2%)	
AGE GROUP							
0-15 years	1 (16.7%)	2 (25.0%)	3 (21.4%)				
16-19 years							
20-29 years	1 (16.7%)	2 (25.0%)	3 (21.4%)	5 (12.2%)	10 (17.9%)	15 (15.5%)	7 (20.0%)
30-39 years	2 (33.3%)		2 (14.3%)	21 (51.2%)	22 (39.3%)	43 (44.3%)	14 (40.0%)
40-49 years	2 (33.3%)		2 (14.3%)	9 (22.0%)	8 (14.3%)	17 (17.5%)	6 (17.1%)
50-59 years		3 (37.5%)	3 (21.4%)	4 (9.8%)	9 (16.1%)	13 (13.4%)	4 (11.4%)
60-69 years		1 (12.5%)	1 (7.1%)	2 (4.9%)	4 (7.1%)	6 (6.2%)	3 (8.6%)
70 + years					3 (5.4%)	3 (3.1%)	1 (2.9%)
Total	6 (100 %)	8 (100%)	14 (100%)	41 (100%)	56 (100%)	97 (100%)	35 (100%)