

## Smoking Cessation and Nicotine Replacement Therapy in Pregnancy and Breastfeeding

MotherSafe - Royal Hospital for Women

Updated February 2023

*Information in this leaflet is general in nature and should not take the place of advice from your healthcare provider. With every pregnancy there is a 3 to 5% risk of having a baby with a birth defect. Breastmilk provides optimum nutrition for babies and conveys many additional health benefits to mother and baby.*

Smoking is a major preventable cause of poor outcomes in pregnancy. This is because cigarette smoke contains over 3000 chemicals including nicotine and carbon monoxide. As well as exposing an unborn baby to toxic chemicals, these substances can cause harm by reducing supply of oxygen and nutrients to the baby.<sup>1</sup>

### Specific issues in pregnancy

It is known that smoking reduces the fertility of both men and women.<sup>2</sup> If you are using IVF or any other assisted reproductive technologies, smoking reduces your chance of success.

The most notable effects of smoking during pregnancy are a greater risk of poor growth resulting in low birth weight (sometimes called small for gestational age or intrauterine growth restriction) and an increased chance of having a baby born prematurely (before 37 weeks). As a result, babies of smoking mothers are more likely to require monitoring and intensive care treatment after birth. Smoking also increases the risk of miscarriage and stillbirth (losing your baby in late pregnancy). Other research has indicated that babies born to mothers who smoked during pregnancy have an increased risk of sudden infant death syndrome (SIDS) and during childhood they are more likely to have respiratory infections, asthma and be obese. In addition, children whose mothers smoked during pregnancy are more likely to be at risk of developing diseases such as heart disease, type 2 diabetes and high blood pressure when they are adults.<sup>1,2,3,4</sup>

### Why stop now?

It is ideal to stop smoking before pregnancy. At this time you are able to use the whole range of anti-smoking treatments and you are able to protect any new pregnancy from the harmful effects of cigarettes. **However, stopping smoking at any time in the pregnancy will reduce the risks for your baby.**<sup>1</sup>

### Non-medical treatment

If you find it hard to quit smoking without help, it is important that you get information and support from your GP, midwife or other community health service. Approaches such as counselling and hypnotherapy may be considered and you may be referred to Quitline or other smoking cessation programs.<sup>1</sup> **Remember it is always easier to quit if your partner stops smoking with you.** There is still a risk to your unborn baby from second-hand smoke (passive smoking), so encouraging your partner to stop smoking also protects your unborn baby.

### Medicines recommended

If you are unable to stop smoking using such measures, an option is the use of nicotine replacement therapy (NRT). Although research is somewhat limited, it is generally felt that using NRT in pregnancy is likely to be less harmful than smoking cigarettes. This is because although NRT is a source of nicotine, it does not contain any of the other harmful chemicals and carbon monoxide that are inhaled by smoking cigarettes. NRT should be used with medical advice and support. Use the lowest **effective** dose and make sure to use it as instructed. Consider first the use of gum, inhalers or lozenges. If you use a patch, it should not be used at night while sleeping.<sup>1,3,4,5</sup> **It is important that women do not smoke while using NRT as this increases the amount of nicotine exposure.**

Bupropion and varenicline are medications that have been used to aid smoking cessation generally, but currently there is little research regarding the effectiveness of either during pregnancy and there is inadequate safety data on varenicline.<sup>1,4</sup> Consult with your doctor if NRT is ineffective and you are considering the use of these medications to aid in smoking cessation.

## E-cigarettes/ Vaping products

Various forms of E-cigarettes/vaping products are readily available. The ingredients in vaping products vary and their production is unregulated.<sup>6</sup> In Australia, nicotine vaping products require a prescription for purchases from pharmacies and from overseas.<sup>7</sup> People who use these products are exposed to chemicals and toxins that are likely to be harmful to their health. Recently, there has been a major increase in calls regarding e-cigarette related poisoning noted at Australian Poisons Information Centres. Furthermore, use of e-cigarettes has been associated with a serious and sometimes fatal lung condition known as E-cigarette or Vaping Associated Lung Injury (EVALI) first reported in the USA in 2019.<sup>8</sup> **There are only a few studies that look at e-cigarettes/vaping in pregnancy** and they suggest that use in pregnancy is associated with poor growth in the unborn baby. Currently any form of E-cigarette use/vaping is not recommended in pregnancy or while breastfeeding.<sup>4,9</sup>

## Breastfeeding

It is known that nicotine and other harmful substances from cigarette smoke transfer into breastmilk.<sup>2</sup> Women who smoke may have reduced breastmilk supply and are less likely to successfully breastfeed.<sup>1</sup> **However, women who do smoke are still encouraged to breastfeed their babies as the health benefits of breastfeeding to both mother and baby outweigh any risks, even if continuing to smoke.**<sup>3</sup> Breastfeeding itself is believed to reduce the risks of SIDS, although a smoky environment increases the risks to baby of SIDS and other respiratory illnesses. As such, it is important not to smoke near your baby. If a breastfeeding mother does choose to smoke she is advised to do this immediately after a breastfeed. E-cigarette use is unstudied for safety in breastfeeding and is not recommended.<sup>9</sup>

If you are unable to stop smoking and you have tried measures such as counselling, NRT can be considered.<sup>1,3</sup> Levels of nicotine in breastmilk from NRT are low and babies whose mothers use NRT will be exposed to less nicotine than from smoking and will not be exposed to all the other chemicals in cigarettes. If counselling and NRT are ineffective, consult with your doctor as other medication may be considered for use.

## References

1. Mendelsohn C, Gould GS and Oncken C. Management of smoking in pregnant women. Australian Family Physician 2014; 43:46-51. Available at <https://www.racgp.org.au/afp/2014/january-february/smoking-in-pregnant-women> Accessed February 2023
2. Briggs GG, Towers CV, Forinash AB. Cigarette Smoking. Drugs in Pregnancy and Lactation: A Reference Guide to Fetal and Neonatal Risk. 12<sup>th</sup>ed. Philadelphia. Lippincott Williams & Wilkins 2022.
3. Australian Government department of Health and Aged Care. Smoking and Tobacco. Smoking and tobacco and Pregnancy. April 2021. Available at <https://www.health.gov.au/health-topics/smoking-and-tobacco/smoking-and-tobacco-throughout-life/smoking-and-tobacco-and-pregnancy> Accessed February 2023
4. The Royal Australian College of General Practitioners (RACGP). Supporting smoking cessation: A guide for health professionals. 2<sup>nd</sup> edition Melbourne, 2011(updated 2021). Available at <https://www.racgp.org.au/clinical-resources/clinical-guidelines/key-racgp-guidelines/view-all-racgp-guidelines/supporting-smoking-cessation> Accessed February 2023
5. Bar-Zeev, Y, Lim, L.L., Bonevski, B, Gruppetta, M and Gould, G. S. Nicotine replacement therapy for smoking cessation during pregnancy. 2018; Medical Journal of Australia, 208 (1), 46-51
6. Lung Foundation Australia. E-cigarettes and vaping, 2023. Available at <https://lungfoundation.com.au/lung-health/protecting-your-lungs/e-cigarettes-and-vaping/> Accessed February 2023
7. Australian Government Department of Health and Aged Care. Therapeutic Goods Administration. Nicotine vaping products hub. Canberra 2021 Available at <https://www.tga.gov.au/products/medicines/prescription-medicines/nicotine-vaping-products-hub> Accessed February 2023
8. NHMRC. 2022 CEO Statement on Electronic Cigarettes. 2022. Available at <https://www.nhmrc.gov.au/health-advice/all-topics/electronic-cigarettes/ceo-statement> Accessed February 2023
9. MotherToBaby.Otis. E-cigarettes. Organization of Teratology Information Specialists. October 2021. Available at <https://mothertobaby.org/fact-sheets/e-cigarettes/> Accessed February 2023

## Other resources

Cancer Council Victoria. Phone **Quitline** on 137848 (13QUIT) or <http://www.quit.org.au/>  
Australian Government department of Health and Aged Care. Smoking and Tobacco. How to quit smoking. July 2020. Available at [https://www.health.gov.au/health-topics/smoking-and-tobacco/how-to-quit-smoking?utm\\_source=quitnow.gov.au&utm\\_medium=redirect&utm\\_campaign=digital transformationAustralian](https://www.health.gov.au/health-topics/smoking-and-tobacco/how-to-quit-smoking?utm_source=quitnow.gov.au&utm_medium=redirect&utm_campaign=digital%20transformationAustralian)

*NSW Medications in Pregnancy &  
Breastfeeding Service*



For more information call MotherSafe: NSW Medications in Pregnancy and Breastfeeding Service on 9382 6539 (Sydney Metropolitan Area) or 1800 647 848 (Non-Metropolitan Area) Monday -Friday 9am-5pm (excluding public holidays)